

Sustol® (granisetron extended-release) (Subcutaneous)

Document Number: IC-0283

Last Review Date: 04/04/2024

Date of Origin: 08/30/2016

Dates Reviewed: 08/2016, 11/2016, 02/2017, 05/2017, 08/2017, 11/2017, 02/2018, 04/2018, 04/2019, 4/2020, 04/2021, 04/2022, 04/2023, 04/2024

I. Length of Authorization

Coverage will be provided for 6 months and may NOT be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Sustol Extended-Release Injection 10 mg/0.4 mL single-dose pre-filled syringe: 1 syringe per 7 day supply

B. Max Units (per dose and over time) [HCPCS Unit]:

- 100 billable units per 7 days

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

- Patient must be at least 18 years of age; **AND**

Prevention of Chemotherapy Induced Nausea and Vomiting (CINV) † ‡ ^{1,3-6}

- Patient has failed§ with palonosetron while receiving the current anticancer chemotherapy regimen; **AND**
 - Used in combination with dexamethasone; **AND**
 - Patient is receiving highly emetogenic anticancer chemotherapy (HEC)*; **AND**
 - Used in combination with either aprepitant (PO or IV), fosaprepitant, or rolapitant with or without olanzapine; **OR**
 - Patient is receiving moderately emetogenic anticancer chemotherapy (MEC)** or anthracycline and cyclophosphamide (AC) combination chemotherapy regimens; **OR**
 - Patient experienced emesis during a previous cycle of anticancer chemotherapy with a 3-drug regimen (olanzapine or NK-1 receptor antagonist-containing regimen); **AND**
 - Used in combination with olanzapine, neurokinin-1 receptor antagonist, and dexamethasone as a component of a 4-drug regimen if not previously given; **AND**
- Sustol is NOT covered for any of the following:
 - Breakthrough emesis

- Repeat dosing in multi-day emetogenic chemotherapy regimens

§ **NOTE:** Failure is defined as two or more documented episodes of vomiting attributed to the current chemotherapy regimen

***Highly emetogenic chemotherapy (HEC):**

Highly Emetogenic Chemotherapy (HEC) ³			
Carboplatin	Carmustine	Cisplatin	Cyclophosphamide
Dacarbazine	Doxorubicin	Epirubicin	Fam-trastuzumab deruxtecan-nxki
Ifosfamide	Mechlorethamine	Melphalan	Sacituzumab govitecan-hziy
Streptozocin			
The following can be considered HEC in certain patients ³			
Dactinomycin	Daunorubicin	Idarubicin	Irinotecan
Methotrexate $\geq 250\text{mg/m}^2$	Oxaliplatin	Trabectedin	
The following regimens can be considered HEC ³			
FOLFOX	FOLFIRI	FOLFIRINOX; FOLFOXIRI	AC (any anthracycline + cyclophosphamide)

*****Moderately emetogenic chemotherapy (MEC):**

Moderately Emetogenic Chemotherapy (HEC) ³			
Aldesleukin $>12\text{--}15$ million IU/m ²	Amifostine $>300\text{ mg/m}^2$	Bendamustine	Busulfan
Clofarabine	Cytarabine $>200\text{ mg/m}^2$	Dinutuximab	Dual-drug liposomal encapsulation of cytarabine and daunorubicin
Irinotecan (liposomal)	Lurbinectedin	Melphalan $<140\text{ mg/m}^2$	Mirvetuximab soravtansine-gynx
Naxitamab-gqgk	Romidepsin	Temozolomide	

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); Ⓢ Orphan Drug

IV. Renewal Criteria ¹

Coverage cannot be renewed.

V. Dosage/Administration ¹

Indication	Dose
Prevention of chemotherapy-induced nausea and vomiting (CINV)	10 mg, administered subcutaneously by a healthcare provider, on Day 1 of chemotherapy; not more frequently than once every 7 days.

VI. Billing Code/Availability Information

HCPCS code:

- J1627 – Injection, granisetron, extended-release, 0.1 mg; 1 billable unit = 0.1 mg

NDC:

- Sustol Extended-Release Injection 10 mg/0.4 mL single-dose pre-filled syringe: 47426-0101-xx

VII. References

1. Sustol [package insert]. San Diego, CA; Heron Therapeutics; May 2023. Accessed March 2024.
2. Schnadig ID, Agajanian R, Dakhil C, et al. APF530 (granisetron injection extended-release) in a three-drug regimen for delayed CINV in highly emetogenic chemotherapy. *Future Oncol.* 2016;12:1469-1481
3. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Antiemesis. Version 1.2024. National Comprehensive Cancer Network, 2024. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed March 2024.
4. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) for granisetron extended release subcutaneous system. National Comprehensive Cancer Network, 2024. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. March 2024.
5. Roila F, Molassiotis A, Herrstedt J, et al. MASCC and ESMO Consensus Guidelines for the Prevention of Chemotherapy and Radiotherapy-Induced Nausea and Vomiting: ESMO Clinical Practice Guidelines. *Ann Oncol* (2016) 27 (suppl 5): v119-v133.
6. Hesketh PJ, Kris MG, Basch E, et al. Antiemetics: American Society of Clinical Oncology Guideline Update. *J Clin Oncol.* 2020 Aug 20;38(24):2782-2797. Doi: 10.1200/JCO.20.01296.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
R11.0	Nausea
R11.10	Vomiting, unspecified
R11.11	Vomiting without nausea
R11.12	Projectile vomiting
R11.2	Nausea with vomiting, unspecified
T45.1X5A	Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter
T45.1X5D	Adverse effect of antineoplastic and immunosuppressive drugs, subsequent encounter
T45.1X5S	Adverse effect of antineoplastic and immunosuppressive drugs, sequela
T45.95XA	Adverse effect of unspecified primarily systemic and hematological agent, initial encounter
T45.95XD	Adverse effect of unspecified primarily systemic and hematological agent, subsequent encounter
T45.95XS	Adverse effect of unspecified primarily systemic and hematological agent, sequela
T50.905A	Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter
T50.905D	Adverse effect of unspecified drugs, medicaments and biological substances, subsequent
T50.905S	Adverse effect of unspecified drugs, medicaments and biological substances, sequela
Z51.11	Encounter for antineoplastic chemotherapy
Z51.12	Encounter for antineoplastic immunotherapy

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
Medicare Part B Administrative Contractor (MAC) Jurisdictions		

Jurisdiction	Applicable State/US Territory	Contractor
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC